Product specifications

Eaton GDA-1A

Catalog Number: GDA-1A

Eaton GDA Series Fast-acting fuse 1A, 250 Vac, 32 Vdc (self certified), GDA-1A

General specifications

Product Name
Eaton Bussmann series GDA fast-acting fuse

Catalog Number
GDA-1A

UPC
051712431293

Product Length/Depth
20 mm

Product Height
5 mm

Product Width
5 mm

Product Weight
1 g

Compliances
CCC Marked
CE Marked
RoHS Compliant

Certifications
VDE

Catalog Notes
High breaking capacity

Product specifications

Fuse indicator

Non-indicating

Interrupt rating

1.5 kAIC at 250 Vac

Connection

Ferrule end x ferrule end

Quantity

5

Material

Nickel-plated brass end cap construction

Ceramic tube

Melting (I2T)

Typical: 0.146 A

Amperage Rating

1 A

Voltage drop

330 mV typical

Frequency rating - max

50 Hz

Resistance

0.231 ohms DC cold

Type

Electronic

Frequency rating - min

50 Hz

Voltage rating

250 Vac, 32 Vdc (self certified)

Application

Electronic circuits

Resources

Specifications and datasheets

Eaton GDA fast-acting fuse data sheet

Eaton Specification Sheet - GDA-1A



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia