Product specifications

Eaton EFSC11273

Catalog Number: EFSC11273

Eaton Crouse-Hinds series EFS selector switch control station, With selector switch, With two 1/2" hubs, Feraloy iron alloy, Single-gang, 3, Through feed, Three-position, two-circuit, 1/2", 600 Vac

General specifications

Product Name	Catalog Number
Eaton Crouse-Hinds series EFS selector switch control station	EFSC11273
	UPC
	782274298108
Product Length/Depth	Product Height
5.9 in	4.88 in
Product Width	Product Weight
3.5 in	8.67 lb

Certification and compliance

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 1

Class I, Division 2

Class II, Division 1

Class II, Division 2

Class III

NEMA Rating

3

7

9

Product specifications

Enclosure type

With selector switch

Voltage rating

600 Vac

Number of gangs

Single-gang

Style

Through feed

Trade size

1/2"

Switch function

Three-position, two-circuit

Number Of Positions

3

Hub style

With two 1/2" hubs

Material

Feraloy iron alloy

Resources

3D CAD drawing package

Eaton Crouse-Hinds EFSC11273 3D drawing

3D models

SP3D Design Package - EDS and EFS Explosionproof Control Stations

Catalogs

EFS explosionproof control stations for group B applications - catalog page

Certification reports

EDS and EFS Explosionproof Pushbutton, Pilot Light, and Selector Switch Control Stations UL certification

EDS and EFS Explosionproof Pushbutton, Pilot Light, and Selector Switch Control Stations Canadian certification

Installation instructions

IF 328 - EDS, EFS, EDSC and EFSC Single- and Two-gang Device Bodies

IF 899 - EDSX, EDS, EFS, DSDX and DSD Control Stations

Specifications and datasheets

Eaton Specification Sheet - EFSC11273

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia