Product specifications

Eaton CFS175-2023-M15

Catalog Number: CFS175-2023-M15

Eaton Crouse-Hinds series PowerGard receptacle assembly, 20A, Two-wire, three-pole, Copper-free aluminum, Single-gang, Dead end, 3/4", M15 model, 125 Vac

General specifications

Product Name
Eaton Crouse-Hinds series PowerGard receptacle assembly

Catalog Number
CFS175-2023-M15

UPC
662276515796

Product Length/Depth
7.25 in

Product Height
9 in

Product Width
6.25 in

Product Weight
3.8 lb

Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 1

Class II, Division 1

Class III

NEMA Rating

3

3R

Product specifications

Number of gangs

Single-gang

Style

Dead end

Configuration

Two-wire, three-pole

Trade size

3/4"

Amperage Rating

20A

Voltage rating

125 Vac

Material

Copper-free aluminum

Type

M15 model

Resources

Brochures

PowerGard Explosionproof NEMA Locking Receptacles brochure

Catalogs

PowerGard Explosionproof NEMA Locking Receptacles catalog page

Certification reports

PowerGard Explosionproof NEMA Locking Receptacles Canadian certification (Receptacles with Plugs)

PowerGard Explosionproof NEMA Locking Receptacles Canadian certification (Receptacles with Plugs Interlocked with Switches)

PowerGard Explosionproof NEMA Locking Receptacles UL certification (PowerGard Receptacles and Back Boxes Classified for use with Crouse-Hinds ENP Plugs)

PowerGard Explosionproof NEMA Locking Receptacles UL certification (PowerGard Receptacles and Back Boxes Classified for use with Appleton ECP Plugs and EFS Receptacles)

Installation instructions

IF 1663 - PowerGard Receptacles

Specifications and datasheets

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia