Product specifications

Eaton CPH7913

Catalog Number: CPH7913

Eaton Crouse-Hinds series Arktite CPH plug, 7A/30A, 0.875-1.375" cable diameter, 2-wire, 3-pole, Brass or copper contacts, Style 2, 0.5 HP/1.5 HP, Copper-free alum, Single-phase, Mechanical cable grip and neoprene bushing, 120-240/480 Vac

General specifications

Product Name
Eaton Crouse-Hinds series Arktite CPH plug

Catalog Number
CPH7913

UPC
782274173603

Product Length/Depth
6.44 in

Product Height
2.38 in

Product Width
2.38 in

Product Weight
1.6 lb

Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 1

Class I, Division 2

Product specifications

Grounding style

Style 2

Configuration

Two-wire, three-pole

Phase

Single-phase

Horsepower

0.50 hp, 1.50 hp

Amperage Rating

7A/30A

Voltage rating

120-240 Vac/480 Vac

Cable diameter

0.875-1.375 in

Material

Copper-free aluminum

Contact material

Hand-drawn copper

Brass

Special features

Mechanical cable grip and neoprene bushing

Resources

Catalogs

Arktite CES and CPH Explosionproof Receptacles and Plugs catalog page

Certification reports

Arktite CES and CPH Explosionproof Receptacles and Plugs UL certification

Arktite CES and CPH Explosionproof Receptacles and Plugs Canadian certification

Installation instructions

IF 1474 - Arktite CPH Plug - CPH7913, CPH7914

Specifications and datasheets

Eaton Specification Sheet - CPH7913



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia