Product specifications

Eaton 170M2693

Catalog Number: 170M2693

Eaton Bussmann series high speed square body fuse, 700V (UL), 690V (IEC), 20A, 200 kAIC, Top fuse status indicator, Fuse, Blade end X Din 43-620 blade end, Class gR, DIN 43 620

General specifications

Product Name
Eaton Bussmann series high speed square body fuse

Catalog Number
170M2693

Model Code
FUSE 20A 690V DIN 00 GR

UPC
051712264853

EAN
5027590442787

Product Length/Depth
217 mm

Product Height
65 mm

Product Width
85 mm

Product Weight
218 g

Warranty
Not Applicable

Compliances
CE Marked
RoHS Compliant

Certifications
UL Recognized
IEC Rated

Product specifications

Interrupt rating

200 kAIC

Insulated metal gripping lugs (IMGL)

No

Current type

AC

Amperage Rating

20 A

Fuse type

DIN 43620

T indicator for micro

Bladed

Fuse system (according to IEC 60269)

Other

Fitted with:

Type T Indicator for micro

Fuse size

00

Voltage rating

690 V (IEC)

Fuse indicator

Top fuse status indicator

Construction size

00

Clearing (I2T)

70 at 600 V

Rated voltage AC

690 V

Color

None

Connection

Blade end x Din 43-620 blade end

Utilization category

gR (general purpose semiconductor protection)

Watt losses

6 W

Resources

Catalogs

Bussmann series complete full line catalog no. 1007

170M2693~Eaton Bussmann series high speed square body fuse

Specifications and datasheets

Eaton Specification Sheet - 170M2693

Type

Fuse

Fuse shape

Square body, knife blade contacts

Breaking capacity

200 kA

Class

Class gR

Pre arc (I2T)

13

Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

Voltage type

AC

Packaging type

Standard

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia