Specifications



Photo is representative

Eaton TMCX300 1

Eaton Crouse-Hinds series Terminator II TMCX cable gland,TSC compound,Cable Range:2.24-3.28",Cable Sealing:1 (S),Metal-cladcorrugated armoured,TECK armoured,armoured barrier and tray cable,Armoured gland, Aluminum, 3" NPT

General specifications

PRODUCT NAME	Eaton Crouse-Hinds series Terminator II TMCX cable gland
CATALOG NUMBER	TMCX300 1
UPC	662276438767
PRODUCT LENGTH/DEPTH	7.61 in
PRODUCT HEIGHT	5.61 in
PRODUCT WIDTH	5.61 in
PRODUCT WEIGHT	14.02 lb

Powering Business Worldwide

Certifications and compliances

AREA CLASSIFICATION	Hazardous/Classified Locations
STANDARDS TYPE	NEC/CEC
NEC HAZARDOUS RATING	Class I, Division 1 Class II, Division 1 Class III
NEMA RATING	4X

Product specifications

PROTECTION TYPE	Explosion-proof
CABLE TYPE	Tray cable Armoured barrier Metal-clad with interlocked or continuously welded corrugated armoured TECK armoured
GLAND TYPE	Armoured
THREAD SIZE	3"
THREAD TYPE	NPT
CABLE SEALING RANGE	1 (S)
CABLE RANGE (MIN/MAX)	2.24-3.28"
MATERIAL	Aluminum
BARRIER TYPE	TSC Compound

Resources

3D CAD DRAWING PACKAGE	Eaton Crouse-Hinds TMCX300 1 3D drawing
BROCHURES	Crouse-Hinds series TMCX II brochure Crouse-Hinds series Chico LiquidSeal flyer
CATALOGS	Crouse-Hinds series TMCX II catalog page
CERTIFICATION REPORTS	TMCX II Explosionproof Armoured Barrier and Non-armoured Barrier Gland UL certification TMCX II Explosionproof Armoured Barrier and Non-armoured Barrier Gland Canadian certification
INSTALLATION INSTRUCTIONS	IF 1647B - TMCX Terminator II Cable Gland IF 1647 - TMCX Terminator II Cable Gland
SPECIFICATIONS AND DATASHEETS	Eaton Specification Sheet - TMCX300 1

PROJECT NAME:	
PROJECT NUMBER:	
PREPARED BY:	
DATE:	

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.