Product data sheet

Specifications



Circuit breaker enclosure, PowerPacT H/J, 15A to 250A, 2 and 3 pole, NEMA 4/4X/5, stainless steel

J250SS

Product availability: Stock - Normally stocked in distribution facility

Main

Circuit Breaker Type	JGL JJL JLL JDL
Breaker Compatibility	Circuit breaker J-Frame 2P Circuit breaker J-Frame 3P

Complementary

Rated Current	150…250 A
Poles Description	2P 3P
Enclosure Material	Stainless Steel
Height	32.2 in (819 mm)
Width	9.7 in (247 mm)
Depth	8.0 in (202 mm)
Product Weight	27.007 lb(US) (12.25 kg)

Environment

Product Certifications	UL CSA

Environmental

NEMA Degree of Protection	NEMA 5 NEMA 4X NEMA 3 NEMA 3R NEMA 4

Ordering and shipping details

Category	US10DE100031
Discount Schedule	0DE1
GTIN	785901101734
Returnability	Yes
Country of origin	MX

Packing Units

Unit Type of Package 1	PCE

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Nbr. of units in pkg.	1
Package 1 Height	6.900 in (17.526 cm)
Package 1 Width	15.200 in (38.608 cm)
Package 1 Length	33.200 in (84.328 cm)
Package weight(Lbs)	25.699 lb(US) (11.657 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Total lifecycle Carbon footprint	**88 kg CO2 eq.**
Carbon footprint of the manufacturing phase [A1 to A3]	**68 kg CO2 eq.**
Carbon footprint of the distribution phase [A4]	**3 kg CO2 eq.**
Carbon footprint of the installation phase [A5]	**0 kg CO2 eq.**
Carbon footprint of the use phase [B2, B3, B4, B6]	**0 kg CO2 eq.**
Carbon footprint of the end-of-life phase [C1 to C4]	**17 kg CO2 eq.**
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

Packaging made with recycled cardboard	**Yes**
Packaging without single use plastic	**No**
SCIP Number	**7123f656-319e-4ae7-888d-d29a63a4aa90**
EU RoHS Directive	Compliant
REACh Regulation	Reference contains Substances of Very High Concern above the threshold
California proposition 65	**WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov**
Halogen content performance	**Halogen free plastic parts product**
PVC free	**Yes**

Use Longer

Lifetime extension

Repair	**No**

Use Again

Repack and remanufacture

Recyclability potential, in %	**95**
Circularity Profile	**No need of specific recycling operations**
Take-back	**No**