# Product data sheet

Specifications




## Potentiometer, Harmony 9001SK, plastic, black, 30mm, 5kOhm

9001SK2107

**Product availability: Stock - Normally stocked in distribution facility**

## Main

| | |
|---|---|
| **Range of Product** | Harmony 9001SK |
| **Product or Component Type** | Potentiometer |
| **Mounting diameter** | 1.2 in (30 mm) |

## Complementary

| | |
|---|---|
| **Bezel material** | Plastic |
| **Cap/operator or lens colour** | Black |
| **Size** | 30 mm |
| **Input impedance** | 5000 Ohm |

## Environment

| | |
|---|---|
| **IP Degree of Protection** | IP65/IP66 |
| **NEMA degree of protection** | NEMA 4<br>NEMA 13 |

## Ordering and shipping details

| | |
|---|---|
| **Category** | US10CS121429 |
| **Discount Schedule** | 0CS1 |
| **GTIN** | 785901048367 |
| **Returnability** | Yes |
| **Country of origin** | MX |

## Packing Units

| | |
|---|---|
| **Unit Type of Package 1** | PCE |
| **Nbr. of units in pkg.** | 1 |
| **Package 1 Height** | 2.000 in (5.080 cm) |
| **Package 1 Width** | 2.300 in (5.842 cm) |
| **Package 1 Length** | 4.500 in (11.430 cm) |
| **Package weight(Lbs)** | 3.810 oz (108.000 g) |
| **Unit Type of Package 2** | S01 |
| **Number of Units in Package 2** | 9 |
| **Package 2 Height** | 5.906 in (15.000 cm) |
| **Package 2 Width** | 5.906 in (15.000 cm) |

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

| | |
|---|---|
| **Package 2 Length** | 15.748 in (40.000 cm) |
| **Package 2 Weight** | 2.584 lb(US) (1.172 kg) |
| **Unit Type of Package 3** | P06 |
| **Number of Units in Package 3** | 288 |
| **Package 3 Height** | 29.528 in (75.000 cm) |
| **Package 3 Width** | 31.496 in (80.000 cm) |
| **Package 3 Length** | 23.622 in (60.000 cm) |
| **Package 3 Weight** | 100.319 lb(US) (45.504 kg) |

## Contractual warranty

| | |
|---|---|
| **Warranty (in months)** | 18 |

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

### Environmental footprint

| | |
|---|---|
| Environmental Disclosure | Product Environmental Profile |

## Use Better

### Materials and Substances

| | |
|---|---|
| Packaging made with recycled cardboard | Yes |
| Packaging without single use plastic | Yes |
| EU RoHS Directive | Compliant |
| REACh Regulation | Reference contains Substances of Very High Concern above the threshold |
| California proposition 65 | WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |

## Use Longer

### Lifetime extension

| | |
|---|---|
| Repair | No |


## Use Again

### Repack and remanufacture

| | |
|---|---|
| Circularity Profile | End of Life Information |
| Take-back | No |
| WEEE Label | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins. |

Offer Marketing Illustration

**Product benefits / Features**



Offer Marketing Illustration

**Product benefits / Features**

