# Product data sheet

Specifications




## Push button, Harmony 9001K, non illuminated, blue, 30mm, square head, blank legend, 2 C/O

9001KXRALH2

**Product availability: Stock - Normally stocked in distribution facility**

## Main

| | |
|---|---|
| **Range of Product** | Harmony 9001K |
| **Product or Component Type** | Push-button |
| **Device short name** | K |
| **Type of operator** | spring return |
| **Operator profile** | Blue projecting |

## Complementary

| | |
|---|---|
| **Bezel material** | Chromium plated metal |
| **Mounting diameter** | 1.2 in (30 mm) |
| **Contacts type and composition** | 2 C/O |
| **[Ie] rated operational current** | 10 A, AC-15<br>10 A, DC-15 |
| **Contact operation** | Standard |
| **Device presentation** | Complete product |
| **Cap/operator or lens colour** | Blue |

## Environment

| | |
|---|---|
| **IP Degree of Protection** | IP65/IP66 |
| **NEMA degree of protection** | NEMA 3R/6/13 |

## Ordering and shipping details

| | |
|---|---|
| **Category** | US10CS121427 |
| **Discount Schedule** | 0CS1 |
| **GTIN** | 785901146971 |
| **Returnability** | Yes |
| **Country of origin** | MX |

## Packing Units

| | |
|---|---|
| **Unit Type of Package 1** | PCE |
| **Nbr. of units in pkg.** | 1 |
| **Package 1 Height** | 1.890 in (4.800 cm) |
| **Package 1 Width** | 2.165 in (5.500 cm) |
| **Package 1 Length** | 3.740 in (9.500 cm) |

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

| | |
|---|---|
| **Package weight(Lbs)** | 7.189 oz (203.800 g) |
| **Unit Type of Package 2** | S02 |
| **Number of Units in Package 2** | 36 |
| **Package 2 Height** | 5.906 in (15.000 cm) |
| **Package 2 Width** | 11.811 in (30.000 cm) |
| **Package 2 Length** | 15.748 in (40.000 cm) |
| **Package 2 Weight** | 16.749 lb(US) (7.597 kg) |
| **Unit Type of Package 3** | P12 |
| **Number of Units in Package 3** | 576 |
| **Package 3 Height** | 17.717 in (45.000 cm) |
| **Package 3 Width** | 31.496 in (80.000 cm) |
| **Package 3 Length** | 47.244 in (120.000 cm) |
| **Package 3 Weight** | 294.425 lb(US) (133.549 kg) |

## Contractual warranty

| | |
|---|---|
| **Warranty (in months)** | 18 |

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

### Environmental footprint

| | |
|---|---|
| Environmental Disclosure | Product Environmental Profile |

## Use Better

### Materials and Substances

| | |
|---|---|
| Packaging made with recycled cardboard | Yes |
| Packaging without single use plastic | Yes |
| SCIP Number | Ae0c4eb9-0bfb-40a4-851f-5c619fbe777d |
| EU RoHS Directive | Compliant By Exemption |
| REACh Regulation | Reference contains Substances of Very High Concern above the threshold |
| California proposition 65 | WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |

## Use Longer

### Lifetime extension

| | |
|---|---|
| Repair | No |

## Use Again

### Repack and remanufacture

| | |
|---|---|
| Circularity Profile | End of Life Information |
| Take-back | No |
| WEEE Label | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins. |

Offer Marketing Illustration

**Product benefits / Features**



Offer Marketing Illustration

**Product benefits / Features**

