Product data sheet

Specifications



Safety switch, heavy duty, molded case, 60A, 3 pole, 50hp, 600VAC/ 250VDC, NEMA 7/9

H60XBD

Product availability: Stock - Normally stocked in distribution facility

Main

Breaker Compatibility	Automatic switch B 15…60 A

Complementary

Device Mounting	Surface
Enclosure Material	Cast Aluminium
Height	15.6 in (395.2 mm)
Width	9.6 in (245.1 mm)
Depth	7.3 in (184.2 mm)

Environment

Product Certifications	UL Listed CSA

Environmental

NEMA Degree of Protection	NEMA 7/9

Ordering and shipping details

Category	US10DE100066
Discount Schedule	0DE1
GTIN	785901284932
Returnability	Yes
Country of origin	MX

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	0.39400 in (1.00076 cm)
Package 1 Width	0.39400 in (1.00076 cm)
Package 1 Length	0.39400 in (1.00076 cm)
Package weight(Lbs)	21.99126 lb(US) (9.97506 kg)

Contractual warranty

Warranty (in months)	18

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
SCIP Number	Fcbb2f4b-148e-498d-b15c-530db69350d4
EU RoHS Directive	Compliant
REACh Regulation	Free of Substances of Very High Concern above the threshold
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
PVC free	Yes

Use Longer

Lifetime extension

Repair	No


Use Again

Repack and remanufacture

Circularity Profile	No need of specific recycling operations
Take-back	No
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Technical Illustration

Dimensions



Technical Illustration

Wiring diagram

