# Product data sheet

Specifications




## communication module CANopen, Altivar, Lexium, spring 5 way terminal block

VW3A3628

**Product availability: Stock - Normally stocked in distribution facility**

## Main

| | |
|---|---|
| **Range of Product** | Altivar |
| **Product or Component Type** | Communication module |
| **Accessory / separate part category** | Communication accessories |

## Complementary

| | |
|---|---|
| **Product Compatibility** | Lexium 32M |
| **Range compatibility** | Altivar Process ATV900<br>Altivar Process ATV600<br>Lexium 32<br>Altivar Process Modular<br>Altivar Machine ATV340 except Sercos drives<br>Altivar 32<br>Altivar Machine ATV320 |
| **Communication Port Protocol** | CANopen, CANmotion |
| **Electrical connection** | Spring terminal 5-way terminal block, CANopen, CANmotion |

## Ordering and shipping details

| | |
|---|---|
| **Category** | US1CP4B22152 |
| **Discount Schedule** | CP4B |
| **GTIN** | 3606485221823 |
| **Returnability** | Yes |
| **Country of origin** | DE |

## Packing Units

| | |
|---|---|
| **Unit Type of Package 1** | PCE |
| **Nbr. of units in pkg.** | 1 |
| **Package 1 Height** | 1.9 in (4.7 cm) |
| **Package 1 Width** | 2.4 in (6.2 cm) |
| **Package 1 Length** | 3.5 in (9.0 cm) |
| **Package weight(Lbs)** | 2.4 oz (68.0 g) |
| **Unit Type of Package 2** | S03 |
| **Number of Units in Package 2** | 96 |
| **Package 2 Height** | 11.8 in (30.0 cm) |
| **Package 2 Width** | 11.8 in (30.0 cm) |
| **Package 2 Length** | 15.7 in (40.0 cm) |

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

| | |
|---|---|
| **Package 2 Weight** | 15.512 lb(US) (7.036 kg) |

## Contractual warranty

| | |
|---|---|
| **Warranty (in months)** | 18 |

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

### Environmental footprint

| | |
|---|---|
| Total lifecycle Carbon footprint | **68 kg CO2 eq.** |
| Carbon footprint of the manufacturing phase [A1 to A3] | **3 kg CO2 eq.** |
| Carbon footprint of the distribution phase [A4] | **0 kg CO2 eq.** |
| Carbon footprint of the installation phase [A5] | **0 kg CO2 eq.** |
| Carbon footprint of the use phase [B2, B3, B4, B6] | **64 kg CO2 eq.** |
| Carbon footprint of the end-of-life phase [C1 to C4] | **0 kg CO2 eq.** |
| Environmental Disclosure | Product Environmental Profile |

## Use Better

### Materials and Substances

| | |
|---|---|
| Packaging made with recycled cardboard | **No** |
| Packaging without single use plastic | **No** |
| SCIP Number | **E2fcb334-b418-4f52-8a3f-bf4cd89d0956** |
| EU RoHS Directive | Compliant By Exemption |
| REACh Regulation | Reference contains Substances of Very High Concern above the threshold |
| California proposition 65 | **WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov** |
| PVC free | **Yes** |

## Use Longer

### Lifetime extension

| | |
|---|---|
| Repair | **No** |

## Use Again

### Repack and remanufacture

| | |
|---|---|
| Circularity Profile | End of Life Information |
| Take-back | **No** |