# Product data sheet

Specifications



## CANopen cordset - molded female SUB-D9 connectors - standard - IP20 - UL - 1 m

TSXCANCBDD1

**Product availability: Stock - Normally stocked in distribution facility**

## Main

| | |
|---|---|
| **Range of Product** | CANopen |
| **Bus type** | CANopen |
| **Product or Component Type** | CANopen cordset |
| **Accessory / separate part category** | Connection accessories |
| **Accessory / Separate Part Type** | Connecting cable |
| **Accessory / separate part destination** | CANopen bus |
| **Cable length** | 3.3 ft (1 m) |

## Complementary

| | |
|---|---|
| **Electrical connection** | 2 female connectors SUB-D 9 |
| **Marking** | CE |
| **Product Weight** | 0.289 lb(US) (0.131 kg) |

## Environment

| | |
|---|---|
| **Product Certifications** | UL |
| **IP Degree of Protection** | IP20 |

## Ordering and shipping details

| | |
|---|---|
| **Category** | US1PC2222558 |
| **Discount Schedule** | PC22 |
| **GTIN** | 3595863860207 |
| **Returnability** | Yes |
| **Country of origin** | PT |

## Packing Units

| | |
|---|---|
| **Unit Type of Package 1** | PCE |
| **Nbr. of units in pkg.** | 1 |
| **Package 1 Height** | 1.181 in (3.000 cm) |
| **Package 1 Width** | 5.315 in (13.500 cm) |
| **Package 1 Length** | 7.480 in (19.000 cm) |
| **Package weight(Lbs)** | 4.903 oz (139.000 g) |
| **Unit Type of Package 2** | S03 |

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

| | |
|---|---|
| **Number of Units in Package 2** | 65 |
| **Package 2 Height** | 11.811 in (30.000 cm) |
| **Package 2 Width** | 11.811 in (30.000 cm) |
| **Package 2 Length** | 15.748 in (40.000 cm) |
| **Package 2 Weight** | 21.275 lb(US) (9.650 kg) |

## Contractual warranty

| | |
|---|---|
| **Warranty (in months)** | 18 |

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

### Environmental footprint

| | |
|---|---|
| Environmental Disclosure | Product Environmental Profile |

## Use Better

### Materials and Substances

| | |
|---|---|
| Packaging made with recycled cardboard | Yes |
| Packaging without single use plastic | No |
| EU RoHS Directive | Compliant |
| California proposition 65 | WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |

## Use Longer

### Lifetime extension

| | |
|---|---|
| Repair | No |

## Use Again

### Repack and remanufacture

| | |
|---|---|
| Take-back | No |