Product data sheet

Specifications



Meter pak accessory, hub, 2.50in wire size, Series A L, rainproof, 4.63in

A250L

Product availability: Stock - Normally stocked in distribution facility

Main

Product or Component Type	Hub Conduit entry
Range of Product	Series A-L

Complementary

Cable entry	conduit entry 2.5"
Device Composition	Adaptor plate
Hub type	A-L
Mounting Support	Direct mounting on box
Number of mounting holes	4
Product Certifications	UL Listed
Device Application	conduit entry
shape of screw head	Slotted hexagonal
Height	1.45 in (36.83 mm)
Width	4.8 in (121.9 mm)
Depth	4.8 in (121.9 mm)

Ordering and shipping details

Category	US10DE400039
Discount Schedule	0DE4
GTIN	785901107989
Returnability	Yes
Country of origin	IN

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.600 in (4.064 cm)
Package 1 Width	5.700 in (14.478 cm)
Package 1 Length	6.000 in (15.240 cm)
Package weight(Lbs)	9.280 oz (263.083 g)
Unit Type of Package 2	CAR
Number of Units in Package 2	10

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Height	5.400 in (13.716 cm)
Package 2 Width	8.400 in (21.336 cm)
Package 2 Length	13.800 in (35.052 cm)
Package 2 Weight	6.431 lb(US) (2.917 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACh Regulation	Free of Substances of Very High Concern above the threshold
California proposition 65	WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Use Longer

Lifetime extension

Repair	No

Use Again


Repack and remanufacture

Take-back	No

Technical Illustration

Dimensions

Conduit Size	Closing Plate	2"	2½"	3"	3½"	4"
Catalog Number	ACPL	A200L	A250L	A300L	A350L	A400L



A/L Hub Mounting Dimensions


Hub Catalog Number	Conduit Size	"A"		"B"		"C"	
	IN	IN	mm	IN	mm	IN	mm
A200L	2"	1.94	49	.94	24	4.63	118
A250L	2½"	2.00	51	.88	22	4.63	118
A300L	3"	2.13	54	.63	16	5.00	127
A350L	3½"	2.38	60	.63	16	5.00	127
A400L	4"	2.50	64	.50	13	5.00	127

Adapter plate required to allow use of "A" hubs on "A/L" size hub openings: catalog number AAP.

Image of product / Alternate images

Alternative


MFG Model Number
A250L
2-1/2 in. hub for use with Square D meter sockets and CSEDs
Type A-L size, 4-hole mounting pattern
UL listed, CSA listed, and ANSI certified


4.8 in
1.45 in
4.8 in
MFG Model Number
A250L


Compatible products
2-1/2 in. Hub for Devices with A-L Openings
MFG Model Number: A250L
Compatible for direct mounting on select Type A-L Hub enclosures use with 2.5" conduit