Product data sheet

Specifications



One double-profile mounting rail 35 x 15 2m for all enclosures supply: 20

NSYDPR200T

Product availability: Stock - Normally stocked in distribution facility

Main

Anwendung	Multi-purpose
Range	PanelSeT
Product or Component Type	Rail
Accessory / separate part category	Mounting accessory
Type of rail	Double-profile DIN
Enclosure nominal dimensions	-
Range compatibility	PanelSeT
Device composition	1 rail
Quantity per Set	Set of 20

Complementary

Material	galvanised steel
Surface Finish	Perforated
Fixing mode	By fixing element - structure of enclosure
Adjustment	Pitch 25 mm Continuous adjustment
Length	78.7 in (2000 mm)
Height	Nominal: 0.6 in (15 mm)
Width	Nominal: 1.4 in (35 mm)
thickness	0.04 in (1 mm)

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480467752
Returnability	Yes
Country of origin	IT

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.575 in (4.000 cm)
Package 1 Width	0.315 in (0.800 cm)

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Length	78.937 in (200.500 cm)
Package weight(Lbs)	2.412 lb(US) (1.094 kg)
Unit Type of Package 2	CAR
Number of Units in Package 2	10
Package 2 Height	1.575 in (4.000 cm)
Package 2 Width	3.150 in (8.000 cm)
Package 2 Length	78.937 in (200.500 cm)
Package 2 Weight	24.136 lb(US) (10.948 kg)
Unit Type of Package 3	PAL
Number of Units in Package 3	720
Package 3 Height	31.496 in (80.000 cm)
Package 3 Width	80.709 in (205.000 cm)
Package 3 Length	47.244 in (120.000 cm)
Package 3 Weight	1790.155 lb(US) (812.000 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Total lifecycle Carbon footprint	**7 kg CO2 eq.**
Carbon footprint of the manufacturing phase [A1 to A3]	**4 kg CO2 eq.**
Carbon footprint of the distribution phase [A4]	**0.2 kg CO2 eq.**
Carbon footprint of the installation phase [A5]	**0.2 kg CO2 eq.**
Carbon footprint of the use phase [B2, B3, B4, B6]	**0 kg CO2 eq.**
Carbon footprint of the end-of-life phase [C1 to C4]	**2 kg CO2 eq.**
Environmental Disclosure	**Product Environmental Profile**

Use Better

Materials and Substances

Packaging made with recycled cardboard	**No**
Packaging without single use plastic	**No**
EU RoHS Directive	**Compliant**
REACh Regulation	**Free of Substances of Very High Concern above the threshold**

Use Longer

Lifetime extension

Repair	**No**

Use Again

Repack and remanufacture

Recyclability potential, in %	**98**
Circularity Profile	**No need of specific recycling operations**
Take-back	**No**