# Product data sheet

Specifications



## mounting accessory, Harmony Electromechanical Relays, maintaining clamp, for RSB relays, plastic

RSZR215

**Product availability: Stock - Normally stocked in distribution facility**

## Main

| | |
|---|---|
| **Range of Product** | Harmony Electromechanical Relays |
| **Accessory / separate part category** | Mounting accessory |
| **Product or Component Type** | Maintaining clamp |
| **Product Destination** | RSB relay |

## Complementary

| | |
|---|---|
| **Accessory material** | Plastic |
| **Product compatibility** | Socket RSZ 1 C/O)<br>Socket RSZ 2 C/O) |
| **Sale per indivisible quantity** | 10 |
| **Product Weight** | 0.004 lb(US) (0.002 kg) |

## Ordering and shipping details

| | |
|---|---|
| **Category** | US10CP221128 |
| **Discount Schedule** | 0CP2 |
| **GTIN** | 3389110260601 |
| **Returnability** | Yes |
| **Country of origin** | CN |

## Packing Units

| | |
|---|---|
| **Unit Type of Package 1** | PCE |
| **Nbr. of units in pkg.** | 1 |
| **Package 1 Height** | 0.984 in (2.500 cm) |
| **Package 1 Width** | 0.669 in (1.700 cm) |
| **Package 1 Length** | 1.012 in (2.570 cm) |
| **Package weight(Lbs)** | 0.053 oz (1.500 g) |
| **Unit Type of Package 2** | BB1 |
| **Number of Units in Package 2** | 10 |
| **Package 2 Height** | 0.984 in (2.500 cm) |
| **Package 2 Width** | 2.756 in (7.000 cm) |
| **Package 2 Length** | 3.937 in (10.000 cm) |

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

| | |
|---|---|
| **Package 2 Weight** | 0.600 oz (17.000 g) |
| **Unit Type of Package 3** | S02 |
| **Number of Units in Package 3** | 1000 |
| **Package 3 Height** | 5.906 in (15.000 cm) |
| **Package 3 Width** | 11.811 in (30.000 cm) |
| **Package 3 Length** | 15.748 in (40.000 cm) |
| **Package 3 Weight** | 4.350 lb(US) (1.973 kg) |

## Contractual warranty

| | |
|---|---|
| **Warranty (in months)** | 18 |

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

### Environmental footprint

| | |
|---|---|
| Total lifecycle Carbon footprint | **0 kg CO2 eq.** |
| Carbon footprint of the manufacturing phase [A1 to A3] | **0 kg CO2 eq.** |
| Carbon footprint of the distribution phase [A4] | **0 kg CO2 eq.** |
| Carbon footprint of the installation phase [A5] | **0 kg CO2 eq.** |
| Carbon footprint of the use phase [B2, B3, B4, B6] | **0 kg CO2 eq.** |
| Carbon footprint of the end-of-life phase [C1 to C4] | **0 kg CO2 eq.** |

## Use Better

### Materials and Substances

| | |
|---|---|
| Packaging made with recycled cardboard | **Yes** |
| Packaging without single use plastic | **No** |
| EU RoHS Directive | **Compliant** |
| REACh Regulation | **Free of Substances of Very High Concern above the threshold** |
| California proposition 65 | **WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov** |

## Use Longer

### Lifetime extension

| | |
|---|---|
| Repair | **No** |


## Use Again

### Repack and remanufacture


| | |
|---|---|
| Circularity Profile | **No need of specific recycling operations** |
| Take-back | **No** |

Image of product / Alternate images

**Alternative**














Image of product in real life situation

