Product data sheet

Specifications



Distribution panel, QO, for I-Line panelboards, 6 spaces, 30A, 3 pole, 25kA

HQO306

Product availability: Stock - Normally stocked in distribution facility

Main

Product Type	Panel
Marketing Trade Name	QO
Rated Current	30 A
Number of Spaces	6
Max Short Circuit Current Rating	25 kA
Maximum Number of Single Pole Circuits	6
Maximum Number of Tandem Breakers	0
Number of Phases	3 phase
Voltage Rating	240 V AC

Complementary

Wire Size	AWG 14...AWG 10 aluminium/copper
Ground Bar	Grounding bar (ordered separately)
Product Certifications	UL CSA
Circuit Breaker Type	QO
Phase Connection	ABC
Mounting Mode	Plug-on
Product Weight	4.191 lb(US) (1.901 kg)

Environment

Ambient Air Temperature for Operation	23 °F (-5 °C) 104 °F (40 °C)

Ordering and shipping details

Category	US10DE201078
Discount Schedule	0DE2
GTIN	785901649601
Returnability	Yes
Country of origin	US

Packing Units

Unit Type of Package 1	PCE

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Nbr. of units in pkg.	1
Package 1 Height	6.500 in (16.510 cm)
Package 1 Width	5.600 in (14.224 cm)
Package 1 Length	10.900 in (27.686 cm)
Package weight(Lbs)	4.041 lb(US) (1.833 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant By Exemption
REACh Regulation	Reference contains Substances of Very High Concern above the threshold
California proposition 65	WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
PVC free	No

Use Longer

Lifetime extension

Repair	No

Use Again

Repack and remanufacture

Circularity Profile	End of Life Information
Take-back	No
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Image of product / Alternate images

Alternative





