
Product data sheet

Specifications



kit for UL type 1 conformity - mounted under variable speed drive

VW3A31815

Product availability: Stock - Normally stocked in distribution facility

Main

Range of Product	Altivar
Accessory / separate part category	Connection accessories
Accessory / Separate Part Type	Kit for UL type 1 conformity
Product compatibility	ATV212HU30M3X ATV212HU30N4 ATV212HU40M3X ATV212HU40N4 ATV212HU55N4 ATV312HU22M2 ATV312HU22N4 ATV312HU22S6 ATV312HU30M3 ATV312HU30N4 ATV312HU40M3 ATV312HU40N4 ATV312HU40S6
Accessory / separate part destination	Variable speed drive

Complementary

Range Compatibility	Altivar 312 Solar Altivar 312 Altivar 212
Kit composition	Mechanical device
Mounting Location	Underside of drive
Product Weight	1.1 lb(US) (0.5 kg)

Environment

Standards	UL Type 1

Ordering and shipping details

Category	US1CP4B22154
Discount Schedule	CP4B
GTIN	3389110691795
Returnability	Yes
Country of origin	FR

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Height	4.016 in (10.200 cm)
Package 1 Width	6.299 in (16.000 cm)
Package 1 Length	7.087 in (18.000 cm)
Package weight(Lbs)	19.365 oz (549.000 g)
Unit Type of Package 2	S03
Number of Units in Package 2	6
Package 2 Height	11.811 in (30.000 cm)
Package 2 Width	11.811 in (30.000 cm)
Package 2 Length	15.748 in (40.000 cm)
Package 2 Weight	8.311 lb(US) (3.770 kg)
Unit Type of Package 3	P06
Number of Units in Package 3	48
Package 3 Height	29.528 in (75.000 cm)
Package 3 Width	23.622 in (60.000 cm)
Package 3 Length	31.496 in (80.000 cm)
Package 3 Weight	86.942 lb(US) (39.436 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant By Exemption
REACh Regulation	Free of Substances of Very High Concern above the threshold
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Longer

Lifetime extension

Repair	No

Use Again


Repack and remanufacture

Take-back	No

Dimensions Drawings

UL Type 1 Conformity Kits

Dimensions



(1) Drive

(2) Kit

Dimensions in mm

VW3	A31814, A31815	A31816	A31817
b	68	96	99

Dimensions in in.

VW3	A31814, A31815	A31816	A31817
b	2.68	3.78	3.90