Product data sheet

Specifications



Load center accessory, QO/ Homeline, ground bar kit, 23 terminals

PK23GTA

Product availability: Stock - Normally stocked in distribution facility

Main

product line	QO
product type	Bar

Complementary

Number of connectors	23
wire size	AWG 14...AWG 4 copper AWG 12...AWG 4 aluminium
Provided equipment	2 screw
Bar length	8.1 in (206 mm)
Maximum length of segment	3.1 in (80 mm)
Device mounting	Direct mounting back of enclosure
Height	0.437 in (11.100 mm)
Depth	0.312 in (7.925 mm)
Tightening torque	30 lb.in Mounting screw 30 lb.in 20 lb.in, AWG 14...AWG 10, copper 20 lb.in, AWG 12...AWG 10, aluminium 35 lb.in, AWG 6...AWG 4 25 lb.in, AWG 8 25 lb.in, AWG 14...AWG 12, copper 25 lb.in, AWG 12...AWG 10, aluminium

Ordering and shipping details

Category	US1DE3A00102
Discount Schedule	DE3A
GTIN	785901026433
Returnability	Yes
Country of origin	US

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	0.700 in (1.778 cm)
Package 1 Width	4.000 in (10.160 cm)
Package 1 Length	8.800 in (22.352 cm)
Package weight(Lbs)	3.440 oz (97.522 g)

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Unit Type of Package 2	CAR
Number of Units in Package 2	20
Package 2 Height	6.900 in (17.526 cm)
Package 2 Width	7.300 in (18.542 cm)
Package 2 Length	8.100 in (20.574 cm)
Package 2 Weight	4.610 lb(US) (2.091 kg)
Unit Type of Package 3	PAL
Number of Units in Package 3	1400
Package 3 Height	25.000 in (63.500 cm)
Package 3 Width	40.000 in (101.600 cm)
Package 3 Length	48.000 in (121.920 cm)
Package 3 Weight	355.000 lb(US) (161.025 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Materials and Substances

Packaging made with recycled cardboard	**No**
Packaging without single use plastic	**No**
EU RoHS Directive	**Compliant**
REACh Regulation	**Free of Substances of Very High Concern above the threshold**
California proposition 65	**WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov**

Use Longer

Lifetime extension

Repair	**No**

Use Again

Repack and remanufacture

Take-back	**No**
WEEE Label	**The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.**

Technical Illustration

Dimensions





Image of product / Alternate images

Alternative


MFG Model Number
PK23GTACP
23 terminal Ground Bar Kit for use in Square D electrical panels
Accepts copper or aluminum wire to feed to neutral bar
UL listed and ANSI Certified


0.5 in.
8.11 in.
0.32 in.
MFG Model Number
PK23GTACP


Compatible products
23 Terminal Ground Bar Kit
MFG Model Number: PK23GTACP
Compatible with all Square D
QO/Homeline load centers