Product data sheet

Specifications



Meter pak accessory, hub, 1.25in wire size, Series A, rainproof, 3.31in

A125

Product availability: Stock - Normally stocked in distribution facility

Main

Product or Component Type	Conduit entry Hub
Range of Product	Series A

Complementary

Cable entry	conduit entry 1.25"
Device Composition	Adaptor plate
Hub type	A
Mounting Support	Direct mounting on box
Number of mounting holes	4
Product Certifications	UL Listed
Device Application	conduit entry
shape of screw head	Slotted hexagonal
Height	2 in (50.8 mm)
Width	3.3 in (83.8 mm)
Depth	3.3 in (83.8 mm)

Ordering and shipping details

Category	US10DE400039
Discount Schedule	0DE4
GTIN	785901029496
Returnability	Yes
Country of origin	IN

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.200 in (3.048 cm)
Package 1 Width	4.700 in (11.938 cm)
Package 1 Length	5.800 in (14.732 cm)
Package weight(Lbs)	3.680 oz (104.326 g)
Unit Type of Package 2	CAR
Number of Units in Package 2	10

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Height	5.000 in (12.700 cm)
Package 2 Width	5.700 in (14.478 cm)
Package 2 Length	13.800 in (35.052 cm)
Package 2 Weight	2.639 lb(US) (1.197 kg)
Unit Type of Package 3	PAL
Number of Units in Package 3	1440
Package 3 Height	40.000 in (101.600 cm)
Package 3 Width	42.000 in (106.680 cm)
Package 3 Length	42.000 in (106.680 cm)
Package 3 Weight	415.999 lb(US) (188.694 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACh Regulation	Free of Substances of Very High Concern above the threshold
California proposition 65	WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Use Longer

Lifetime extension

Repair	No

Use Again


Repack and remanufacture

Take-back	No

Technical Illustration

Dimensions

Conduit Size	Closing Plate	1"	1¼"	1½"	2"	2½"
Catalog Number	ACP	A100	A125	A150	A200	A250




A Hub Mounting Dimensions

Hub Catalog Number	Conduit Size	"A"		"B"	
		IN	mm	IN	mm
A100	1"	.94	24	.44	11
A125	1¼"	1.00	25	.44	11
A150	1½"	1.25	32	.50	13
A200	2"	1.50	38	.50	13
A250	2½"	1.69	43	.44	11

Image of product / Alternate images

Alternative


MFG Model Number
A125
1-1/4 in. hub for use with Square D meter sockets and CSEDs
Type A size, 4-hole mounting pattern
UL listed, CSA listed, and ANSI certified


3.3 in
1 in
3.3 in
MFG Model Number
A125


Compatible products
1-1/4 in. Hub for Devices with A Openings
MFG Model Number: A125
Compatible for direct mounting on select Type A Hub enclosures use with 1.25" conduit