Product data sheet

Specifications



Plain mounting plate H800xW600mm made of galvanised sheet steel

NSYMM86

Product availability: Stock - Normally stocked in distribution facility

Main

Range	PanelSeT
Accessory / separate part category	Mounting accessory
Product or Component Type	Mounting plate
Device Application	Multi-purpose
Enclosure nominal dimensions	- H: 31.5 in (800 mm) W: 23.6 in (600 mm) H: 23.6 in (600 mm) W: 31.5 in (800 mm)
Mounting Location	Step slide Direct fixing on backstuds
Mounting plate description	Plain
Range compatibility	PanelSeT S3D PanelSeT CRN PanelSeT PLM
Quantity per Set	Set of 1
Material	galvanised steel

Complementary

Fixing mode	Screwed on backstuds M8 By fixing element
Permanent permissible load	297.6 lb(US) (135 kg)
Height	29.5 in (750 mm)
Width	21.7 in (550 mm)
thickness	0.10 in (2.5 mm)
Product Weight	17.79 lb(US) (8.07 kg)
Variant particularity	With enclosures H800 x W1200

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480183430
Returnability	Yes
Country of origin	ES

Packing Units

Unit Type of Package 1	PCE

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Nbr. of units in pkg.	1
Package 1 Height	0.197 in (0.500 cm)
Package 1 Width	21.654 in (55.000 cm)
Package 1 Length	29.921 in (76.000 cm)
Package weight(Lbs)	17.637 lb(US) (8.000 kg)
Unit Type of Package 2	P12
Number of Units in Package 2	60
Package 2 Height	13.386 in (34.000 cm)
Package 2 Width	31.496 in (80.000 cm)
Package 2 Length	47.244 in (120.000 cm)
Package 2 Weight	1135.382 lb(US) (515.000 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Total lifecycle Carbon footprint	**82 kg CO2 eq.**
Carbon footprint of the manufacturing phase [A1 to A3]	**43 kg CO2 eq.**
Carbon footprint of the distribution phase [A4]	**16 kg CO2 eq.**
Carbon footprint of the installation phase [A5]	**0.3 kg CO2 eq.**
Carbon footprint of the use phase [B2, B3, B4, B6]	**0 kg CO2 eq.**
Carbon footprint of the end-of-life phase [C1 to C4]	**23 kg CO2 eq.**
Environmental Disclosure	**Product Environmental Profile**

Use Better

Materials and Substances

Packaging made with recycled cardboard	**No**
Packaging without single use plastic	**No**
EU RoHS Directive	**Compliant**
REACh Regulation	**Free of Substances of Very High Concern above the threshold**
PVC free	**Yes**
Silicon free	**Yes**

Use Longer

Lifetime extension

Repair	**No**

Use Again

Repack and remanufacture

Recyclability potential, in %	**98**
Circularity Profile	**No need of specific recycling operations**
Take-back	**No**

Technical Illustration

Dimensions

