Part Number : 1200750014
Product Description : Micro-Change (M12) Dual Keyway with PG7 Cable Fitting, Straight Female, 3 Poles, Cable Diameter 3.30-6.60mm
Series Number : 120075
Status : Active
Product Category : Circular Industrial Connectors
Engineering Number : 7A3000-31



Documents & Resources

Drawings

Drawing_1200750014_sd.pdf

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	Not Relevant
EU ELV	Not Reviewed per 2000/53/EC
Low-Halogen Status	Not Relevant
REACH SVHC	Not Reviewed per D(2023)3788-DC (14 Jun 2023)
EU RoHS	Not Reviewed per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474

- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	Active
Category	Circular Industrial Connectors
Series	120075
Description	Micro-Change (M12) Dual Keyway with PG7 Cable Fitting, Straight Female, 3 Poles, Cable Diameter 3.30-6.60mm
Approvals	N/A
IP Rating	IP67
Product Family	Brad Micro-Change (M12) Connectors
Product Name	Micro-Change (1/2" - 20 UNF)
Type	Field Attachable Connector
UPC	78678830715

Electrical

Current - Maximum per Contact	4.0A
Voltage - Maximum	250V AC / 300V DC

Physical

Cable Diameter	3.30-6.60mm (.130-.260")
Coupling Type	Internal Thread
Diagnostics / LEDs	No
Diagnostics Port	No
Gender	Female
Keyway	Dual
Material - Connector Body	PA
Material - Contact	Brass
Material - Coupling Nut	Nickel-plated Brass
Material - Plating Mating	Gold
Net Weight	24.130/g

Orientation	Straight
Poles	3
Temperature Range - Operating	-25°C to +90°C
Wire Size (AWG)	18

This document was generated on Oct 11, 2023