Part Number : 1300910094
Product Description : Woodhead Standard Cord Reel, 12/3 SJTOW Cord, 10.67m (35.0') Cord Length  with 15A GFCI Pendant Outlet Box, One Duplex, NEMA 5-15 Outlet
Series Number : 130091
Status : Active
Product Category : Electrical Reels
Engineering Number : 997-3070G



## Documents & Resources

### Drawings

Drawing_1300910094_sd.pdf

## Product Environment Compliance

### Compliance

| | |
|---|---|
| China RoHS | Not Reviewed |
| EU ELV | Not Reviewed |
| Low-Halogen Status | Not Reviewed |
| REACH SVHC | Not Reviewed |
| EU RoHS | Not Reviewed |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

# Part Details

## General

| | |
|---|---|
| Status | Active |
| Category | Electrical Reels |
| Series | 130091 |
| Description | Woodhead Standard Cord Reel, 12/3 SJTOW Cord, 10.67m (35.0') Cord Length with 15A GFCI Pendant Outlet Box, One Duplex, NEMA 5-15 Outlet |
| Enclosure Rating | NEMA 1 |
| NEMA Configuration | NEMA 5-15 |
| Product Family | Reels - Woodhead |
| Product Name | Super-Safeway |
| Type | Cord Reel |
| UPC | 78678833628 |

## Agency

| | |
|---|---|
| CSA | LR29921 |

## Electrical

| | |
|---|---|
| Current - Maximum per Contact | 15.0A |
| GFCI | Yes |
| Lamp Wattage - Maximum | N/A |
| On/Off Switch | No |
| Voltage - Maximum | 120V |

## Physical

| | |
|---|---|
| Bulb Included | N/A |
| Cable Length | 0.457m (1.50') |
| Cable Movement | Ratchet Lock |
| Cord Length | 10.67m (35.0') |
| Cord Type | 12/3 SJTOW |
| Depth | 0.30m (11.75") |
| Drum Lock | Ratchet |
| Duty | Standard |

| | |
|---|---|
| Guide Arm | 2 - Position |
| Height | 0.36m (14.25") |
| Lamp Type | N/A |
| Material - Coating | Powder Coating |
| Material - Housing | Steel/Polycarbonate |
| Mounting Style | Rigid |
| Net Weight | 11793.392/g |
| Number of Conductors | 3 |
| Number of Receptacles | 2 |
| Packaging Type | Carton |
| Primary Cord/Cable Entry | N/A |
| Retraction Weight | 1.4kg (3.0 lb) |
| Width | 196.85mm (7.750") |
| Wire Size (AWG) | 12 |