Rittal – The System.

Faster – better – everywhere.

Divider panel for TS – TS 8609.040

Date : Jun 2, 2017

ENCLOSURES | POWER DISTRIBUTION | CLIMATE CONTROL | IT INFRASTRUCTURE | SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

Divider panel for TS – TS 8609.040

created: 02.06.2017 build on www.rittal.com/us-en



Product description

Description:	To shield individual enclosure cells. All-round, double edging for stability and to accommodate the seal. The symmetry of the enclosure frame means divider panels of the appropriate dimensions can also be fitted at the rear.
Applications:	Notches in the corners and half-way up the sides permit the use of angular baying brackets and baying brackets, even with a divider panel fitted.
Material:	Carbon steel, 1.5 mm
Surface finish:	Zinc-plated
Protection category IP to IEC 60 529:	IP 54
Mounting tip:	The divider panel may also be fitted at the rear. This allows, e.g. frequency converters for heat dissipation to be installed in a divider panel with the cooling units facing outwards and protected/concealed with a cover.
Supply includes:	Assembly components

Product features

Suitable for:	Enclosure type: TS 8 Height: 2000 mm (79 ″) Depth: 400 mm (16 ″)
Installation options:	Mounted on the outer mounting level The inner level remains free for further expansion
Packaging unit:	1 pc(s).

© Rittal 2017

Weight/packaging unit:	9 kg (19.8 lb.)
EAN:	4028177208735
Customs tariff number:	94039010
ETIM 6.0:	EC002525
ETIM 5.0:	EC002525
eCl@ss 8.0/8.1:	27182102
eCl@ss 7.0/7.1:	27182102
eCl@ss 6.0/6.1:	27182102
eCl@ss 5.1/5.1.4:	27182102
Product description (long):	TS Divider panel, for TS, for WD: 2000x400 mm

2017 © Rittal Corporation