Rittal – The System.

Faster – better – everywhere.

Mini-comfort handle for AE with cam – SZ 2537.010

Date : May 24, 2018

ENCLOSURES | POWER DISTRIBUTION | CLIMATE CONTROL | IT INFRASTRUCTURE | SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

Mini-comfort handle for AE with cam – SZ 2537.010

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Version:	For lock inserts
Description:	Designed for the installation of lock inserts or for the installation of standard commercially available 40 or 45 mm semi-cylinders, as well as lock and push-button inserts.
Material:	Die-cast zinc
Color:	RAL 7035

Product features

Suitable for:	Enclosure type: AE with cam Enclosure type: Wall-mounted housing AE with cam Enclosure type: Basic AE with cam Height: 380 mm (15 ″) Width: 300 mm (12 ″)
Installation options:	Vertical handle mounting from an enclosure height of 380 mm Horizontal handle mounting from an enclosure width of 300 mm From housing heights above 500 mm, the mini-comfort handle on the lower locking point can only be mounted horizontally From housing heights above 600 mm, the mini-comfort handle on the lower locking point can be mounted vertically by rotating it through 180°
Packaging unit:	1 pc(s).
Weight/packaging unit:	0.51 kg (1.1 lb.)
EAN:	4028177626645

Customs tariff number:	83024110
ETIM 6.0:	EC000327
ETIM 5.0:	EC002626
eCl@ss 8.0/8.1:	27189266
eCl@ss 7.0/7.1:	27189266
eCl@ss 6.0/6.1:	27189266
eCl@ss 5.1/5.1.4:	27189220
Product description (long):	SZ Mini-comfort handle, for AE with double bit insert, for lock inserts

Approvals

Certificates:	EAC