Rittal – The System.

Faster – better – everywhere.

# Junction boxes JB Stainless steel – JB 8018.136

Date : May 29, 2018

ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

# Junction boxes JB Stainless steel – JB 8018.136 - JB060404H4

created: 29.05.2018 build on www.rittal.com/us-en



## Product description

| | |
|---|---|
| **Material:** | Cover: Stainless steel 1.4301 (AISI 304), all-round foamed-in PU seal<br>Housing: Stainless steel 1.4301 (AISI 304) |
| **Surface finish:** | Housing and door: Brushed, grain 240 |
| **Protection category IP to IEC 60 529:** | IP 66 |
| **Protection category NEMA:** | NEMA 4X |
| **Supply includes:** | 180° hinge<br>Mounting plate |

## Product features

| | |
|---|---|
| **Dimensions:** | Height: 150 mm (5.9 ″)<br>Width: 100 mm (3.9 ″)<br>Depth: 100 mm (3.9 ″) |
| **Material thickness::** | Housing: 1.5 mm (0.06 ″)<br>Door: 1.5 mm (0.06 ″)<br>Mounting plate: 1.5 mm (0.06 ″) |
| **Door catch:** | left |
| **Packaging unit:** | 1 pc(s). |
| **Weight/packaging** | 1.4 kg (3.1 lb.) |

Â© Rittal 2018

| | |
|---|---|
| **unit:** | |
| **EAN:** | 83273 |

## Approvals

| | |
|---|---|
| **Approvals:** | UL + C-UL |