Rittal – The System.

Faster – better – everywhere.

Conductor Terminals – SV 3450.500


Date : May 25, 2018

ENCLOSURES | POWER DISTRIBUTION | CLIMATE CONTROL | IT INFRASTRUCTURE | SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

Conductor Terminals – SV 3450.500

created: 25.05.2018 build on www.rittal.com/us-en



Product description

Description:	For connecting round conductors and laminated copper bars.
Material:	Carbon steel
Surface finish:	Zinc-plated, passivated
Note:	Wire end ferrules should be used with fine stranded wire conductors.

Product features

Suitable for busbars:	Cross-section (thickness): 5 mm
Connection for round conductor cross-sections:	1 mm² - 4 mm²
Packaging unit:	15 pc(s).
Weight/packaging unit:	0.27 kg (0.6 lb.)
EAN:	4028177042674
Customs tariff number:	85369010
ETIM 6.0:	EC000001
ETIM 5.0:	EC000001

© Rittal 2018

eCl@ss 8.0/8.1:	27141146
eCl@ss 7.0/7.1:	27141146
eCl@ss 6.0/6.1:	27141146
eCl@ss 5.1/5.1.4:	27370302
Product description (long):	SV Conductor connection clamp, 1-4 mm², for bar thickness 5 mm

Approvals

Approvals:	C-UR UR
Certificates:	EAC
Declarations:	Declaration of conformity

© Rittal 2018