Rittal – The System.

Faster – better – everywhere.

KL Terminal Boxes Stainless steel – KL 1527.010

Date : May 29, 2018

ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

KL Terminal Boxes Stainless steel – KL 1527.010

created: 29.05.2018 build on www.rittal.com/us-en



Product description

Material:	Housing: Stainless steel 1.4301 (AISI 304) Cover: Stainless steel 1.4301 (AISI 304), all-round foamed-in PU seal
Surface finish:	Housing and cover: Brushed, grain 180
Protection category IP to IEC 60 529:	IP 66
Protection category NEMA:	NEMA 4X
IK code:	IK08
Supply includes:	Housing with cover Quick-release fasteners including plastic bushings
Base material:	Stainless steel

Product features

Dimensions:	Height: 150 mm (5.9 ″) Width: 150 mm (5.9 ″) Depth: 120 mm (4.7 ″)
Material thickness::	Housing: 1.25 mm (0.05 ″) Cover: 1.25 mm (0.05 ″)
No. of locks:	4
Packaging unit:	1 pc(s).

Â© Rittal 2018

Weight/packaging unit:	1.6 kg (3.5 lb.)
EAN:	4028177663329
Customs tariff number:	85389099
ETIM 6.0:	EC002713
ETIM 5.0:	EC002713
eCl@ss 8.0/8.1:	27180101
eCl@ss 7.0/7.1:	27180101
eCl@ss 6.0/6.1:	27180101
eCl@ss 5.1/5.1.4:	27180102
Product description (long):	KL Terminal box, WHD: 150x150x120 mm, Stainless steel 1.4301, without mounting plate, with cover, without gland plate

Approvals

Approvals:	Bureau Veritas CSA DNV-GL Lloyds Register of Shipping Russian Maritime Register of Shipping TÜV UL + C-UL
Certificates:	EAC IK-Code Protection category
Declarations:	Declaration of conformity