Rittal – The System.

Faster – better – everywhere.

# Interface Covers, Modular – SZ 2482.570

Date : May 24, 2018

ENCLOSURES | POWER DISTRIBUTION | CLIMATE CONTROL | IT INFRASTRUCTURE | SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

# Interface Covers, Modular – SZ 2482.570

created: 24.05.2018 build on www.rittal.com/us-en



## Product description

| | |
|---|---|
| **Version:** | Interface inserts for USB A (jack/jack), RJ 45 (jack/jack, Cat 5e), SUB-D9 (jack/pin) |
| **Description:** | For universal use where rapid access to interfaces and outlets is needed. The housing remains closed, protecting it from environmental effects and unauthorized access. |
| **Function principle:** | The cover on the mounting frame can be opened at various angles from 90° to 180°<br>The snap fit closure ensures a good seal. The cover can be locked if necessary.<br>All SUB-D interfaces can be turned in the insert |
| **Material:** | Mounting frame and metal flap: Fine die-cast zinc<br>Plastic flap: Polycarbonate (semi-transparent)<br>Lock: Polycarbonate |
| **Surface finish:** | Mounting frame and metal flap: Matt nickel-plated |
| **Color:** | Lock: RAL 7024<br>Screw terminals: yellow (RAL 1016) |
| **Protection category IP to IEC 60 529:** | IP 65 with sealed flap and proper assembly |
| **Note on Model No.::** | Conductively connected to mounting frame. |

## Product features

| | |
|---|---|
| **Version:** | Note: Conductively connected to mounting frame. |
| **Installation options:** | as programmer interface for controllers<br>as maintenance access for networks<br>For temporary connection of additional equipment |

Â© Rittal 2018

| | |
|---|---|
| | For quick connection to existing network structures<br>for programming and maintenance of integral components |
| **Packaging unit:** | 1 pc(s). |
| **Weight/packaging unit:** | 0.08 kg (0.2 lb.) |
| **EAN:** | 4028177490840 |
| **Customs tariff number:** | 85369095 |
| **ETIM 6.0:** | EC002625 |
| **ETIM 5.0:** | EC002608 |
| **eCl@ss 8.0/8.1:** | 27189234 |
| **eCl@ss 7.0/7.1:** | 27189234 |
| **eCl@ss 6.0/6.1:** | 27189234 |
| **eCl@ss 5.1/5.1.4:** | 27189238 |
| **Product description (long):** | SZ Interface flap, modular, interface inserts, USB A, jack/jack, RJ 45, jack/jack Cat 5e, SUB-D9, jack/pin |

## Approvals

| | |
|---|---|
| **Approvals:** | C-UR<br>UR + C-UR |
| **Certificates:** | EAC |
| **Declarations:** | Declaration of conformity |