Rittal – The System.

Faster – better – everywhere.

# PLS Special Busbars, E-Cu – SV 3525.000

Date : May 24, 2018

ENCLOSURES | POWER DISTRIBUTION | CLIMATE CONTROL | IT INFRASTRUCTURE | SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

# PLS Special Busbars, E-Cu – SV 3525.000

created: 24.05.2018 build on www.rittal.com/us-en



## Product description

| | |
|---|---|
| **Material:** | E-Cu |
| **Note:** | May be cut to length as required |

## Product features

| | |
|---|---|
| **Suitable for:** | Width: 800 mm (31 ″) |
| **Suitable for busbar system:** | PLS 800 |
| **Busbar type:** | Busbar E-Cu |
| **Cross-section:** | 300 mm² |
| **Bar thickness:** | 5 mm (0.2 ″) |
| **Dimensions:** | Length: 695 mm (27 ″) |
| **Packaging unit:** | 3 pc(s). |
| **Weight/packaging unit:** | 5.24 kg (11.5 lb.) |
| **EAN:** | 4028177043695 |
| **Customs tariff number:** | 74071000 |

| | |
|---|---|
| **ETIM 6.0:** | EC001522 |
| **ETIM 5.0:** | EC001522 |
| **eCl@ss 8.0/8.1:** | 27370303 |
| **eCl@ss 7.0/7.1:** | 27370303 |
| **eCl@ss 6.0/6.1:** | 27370303 |
| **eCl@ss 5.1/5.1.4:** | 27370301 |
| **Product description (long):** | SV PLS special busbar E-Cu, L: 695 mm, PLS 800, bar thickness: 5 mm, 300 mm² bar cross-section |

## Approvals

| | |
|---|---|
| **Approvals:** | UL + C-UL |
| **Declarations:** | Declaration of conformity |