Rittal – The System.

Faster – better – everywhere.

Earthquake kit for TS – TS 8613.860

Date : May 25, 2018

ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES


FRIEDHELM LOH GROUP

Earthquake kit for TS – TS 8613.860

created: 25.05.2018 build on www.rittal.com/us-en







Product description

Description:	The standard design of the Rittal TS 8 enclosure 8806.500, in conjunction with the corresponding 100 mm sheet steel base/plinth, fulfills the requirements of Telcordia GR-63-CORE for earthquake zones 1, 2 and 3. This should be used as a benchmark for your own systems, as certification of empty enclosures is not possible. For earthquake zone 4, the TS 8 can be upgraded with an earthquake kit together with a comfort handle and earthquake base/plinth.
Applications:	Conforms to Bellcore Earthquake Zone 4 requirements
Material:	Carbon steel
Surface finish:	Zinc-plated
Supply includes:	2 side reinforcements, bottom 2 bracing struts each, sides 8 gusset plates Mounting plate attachment and reinforcement including assembly components
Suitable for Model No.:	8806.500

Product features

Suitable for:	Enclosure type: TS 8 Height: 2000 mm (79 ″) Width: 800 mm (31 ″) Depth: 600 mm (24 ″)
Packaging unit:	1 pc(s).
Weight/packaging	23.7 kg (52.2 lb.)

© Rittal 2018

unit:	
EAN:	4028177413580
Customs tariff number:	94039010
ETIM 6.0:	EC002620
ETIM 5.0:	EC002620
eCl@ss 8.0/8.1:	27189261
eCl@ss 7.0/7.1:	27189261
eCl@ss 6.0/6.1:	27189261
eCl@ss 5.1/5.1.4:	27189234
Product description (long):	TS Earthquake kit, for WHD: 800x2000x60 mm

Approvals

Certificates:	EAC