Rittal – The System.

Faster – better – everywhere.

Component Shelf for Frame Attachment Enclosure width 600 and 800 mm for TS – DK 7165.035


Date : May 24, 2018

ENCLOSURES | POWER DISTRIBUTION | CLIMATE CONTROL | IT INFRASTRUCTURE | SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

Component Shelf for Frame Attachment Enclosure width 600 and 800 mm for TS – DK 7165.035

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Version:	Slotted
Description:	And for upgrading legacy TS articles. For installation in enclosures without 482.6 mm (19″) accommodation. Max. depth of component shelves = Enclosure depth – 100 mm.
Applications:	For installing in enclosures without 482.6 mm (19") feature
Material:	Carbon steel
Surface finish:	Spray-finished
Color:	RAL 7035
Mounting tip:	A system chassis is also needed for the inner mounting level
Supply includes:	Assembly components
Note:	Max. depth of component shelves = Enclosure depth - 100 mm.

Product features

Suitable for:	Enclosure type: TS Width: 600 mm (24 ″)
Dimensions:	Height: 29 mm (1.1 ″) Width: 471 mm (19 ″)

	Depth: 500 mm (20 ″)
Load capacity:	50 kg surface load
Packaging unit:	1 pc(s).
Weight/packaging unit:	3.19 kg (7 lb.)
EAN:	4028177165809
Customs tariff number:	94039010
ETIM 6.0:	EC002620
ETIM 5.0:	EC002620
eCl@ss 8.0/8.1:	27189261
eCl@ss 7.0/7.1:	27189261
eCl@ss 6.0/6.1:	27189261
eCl@ss 5.1/5.1.4:	27189218
Product description (long):	DK Component shelf, WHD: 471x29x500 mm, 50 kg, Slotted, For W: 600 mm, RAL 7035