Rittal – The System.

Faster – better – everywhere.

Tilting adapter ± 45° for support arm connection Ø 130 mm – CP 6206.420

Date : May 24, 2018

ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

Tilting adapter ± 45° for support arm connection Ø 130 mm – CP 6206.420

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Benefits:	The inner toothed hinge allows stable locking of the tilted enclosure in a variety of positions. The swivel range can be limited by inserting the set screws provided.
Applications:	For connecting a command panel to a tilting adapter Coupling CP 60/120/180 for support arm connection Ø 130 mm, 6206.300, 6212.300, 6218.300 Attachment CP 60/120 for support arm connection Ø 130 mm, 6206.320, 6212.320 Angle coupling 90°, CP 60/120, 6206.380, 6212.380
Material:	Tilting adapter: Cast aluminum Concertina section: Plastic
Color:	RAL 7024
Supply includes:	Seals Concertina section Fasteners

Product features

Rotating/tilting:	yes
Tilting angle:	Note: Adjustable in 7.5° increments
Packaging unit:	1 pc(s).
Weight/packaging unit:	1.2 kg (2.6 lb.)

EAN:	4028177684447
Customs tariff number:	76169990
ETIM 6.0:	EC000882
ETIM 5.0:	EC002620
eCl@ss 8.0/8.1:	27400556
eCl@ss 7.0/7.1:	27189261
eCl@ss 6.0/6.1:	27189261
eCl@ss 5.1/5.1.4:	27189247
Product description (long):	CP Tilting adaptor 45°, CP 60/120, for support arm connection Ø 130 mm

Approvals

Declarations:	Manufacturer's declaration