Rittal – The System.

Faster – better – everywhere.

EC speed control Control unit for EC fans – SK 3235.440

Date : May 29, 2018

ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

EC speed control Control unit for EC fans – SK 3235.440

created: 29.05.2018 build on www.rittal.com/us-en



Product description

Description:	Temperature-dependent speed control for EC fans for noise reduction and energy conservation. The fan function can also be monitored.
Function principle:	Activation and monitoring of up to 4 EC filter fans For mounting on a 35 mm support rail EN 50 022 External temperature sensor for monitoring the actual temperature Status LED for displaying the operating condition Alarm relay for signaling overtemperature, fan fault, line disconnection and sensor failure
Supply includes:	Speed Control NTC sensor, length 1.80 m
Suitable for Model No.:	3240.500 3241.500 3243.500 3244.500 3245.XXX 3140.500 3140.510

Product features

Rated operating voltage:	100 V - 250 V
Temperature range:	Setting range: +5°C...+55°C
Speed:	100 %
Packaging unit:	1 pc(s).

Weight/packaging unit:	0.53 kg (1.2 lb.)
EAN:	4028177670716
Customs tariff number:	85423190
ETIM 6.0:	EC000256
ETIM 5.0:	EC000256
eCl@ss 8.0/8.1:	27142320
eCl@ss 7.0/7.1:	27210707
eCl@ss 6.0/6.1:	27210707
eCl@ss 5.1/5.1.4:	27180792
Product description (long):	SK speed control unit EC, Control unit for EC fan, 100-250 V

Approvals

Declarations:	Declaration of conformity