Rittal – The System.

Faster – better – everywhere.

Side panels, screw-fastened, carbon steel for TS, TS IT – TS 8168.235

Date : May 24, 2018

ENCLOSURES | POWER DISTRIBUTION | CLIMATE CONTROL | IT INFRASTRUCTURE | SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

Side panels, screw-fastened, carbon steel for TS, TS IT – TS 8168.235

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Benefits:	Automatic potential equalization and higher EMC protection thanks to enclosure panel holders with grounding insert Easy positioning with the location aid Grounding bolt with contact surface
Material:	Carbon steel, 1.5 mm
Surface finish:	dipcoat-primed, powder-coated on the outside
Color:	RAL 7035
Protection category IP to IEC 60 529:	IP 55
Supply includes:	Assembly components
Note:	Enclosure panel holders may optionally be fitted from the inside or outside of the enclosure. Area available for population: External dimension – 100 mm

Product features

Suitable for:	Enclosure type: TS Enclosure type: TS IT Height: 1600 mm (63 ″) Depth: 800 mm (31 ″)
Packaging unit:	2 pc(s).

© Rittal 2018

Weight/packaging unit:	29.2 kg (64.4 lb.)
EAN:	4028177205208
Customs tariff number:	94039010
ETIM 6.0:	EC002524
ETIM 5.0:	EC002524
eCl@ss 8.0/8.1:	27182101
eCl@ss 7.0/7.1:	27182101
eCl@ss 6.0/6.1:	27182101
eCl@ss 5.1/5.1.4:	27182101
Product description (long):	TS Side panel, screw-fastened, for TS, TS IT, for WD: 1600x800 mm, Sheet steel

Approvals

Certificates:	EAC