Rittal – The System.

Faster – better – everywhere.

Tilting adapter +100°/–60° for support arm connection 120 x 65 mm – CP 6206.460

Date : May 29, 2018

ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

Tilting adapter +100°/–60° for support arm connection 120 x 65 mm – CP 6206.460

created: 29.05.2018 build on www.rittal.com/us-en



Product description

Version:	For mounting on IW worktop, prepared for attachment of 130 mm diameter Surfaces For attachment/coupling with 120 x 65 mm support arm connection Suitable for enclosures up to 20 kg with support arm connection 90 x 71 mm Ø 130 mm 120 x 65 mm VESA Standard 75 With cable tube for protected cable entry.
Description:	Tilting angle adjustable in 7.2° increments using clamping lever and may be limited to +100°/–15° using the stop screw supplied loose.
Material:	Tilting adapter: Carbon steel, spray finished Concertina section: Plastic
Color:	Tilting adapter: RAL 7035 Concertina section: RAL 7024
Supply includes:	Assembly components Concertina section

Product features

Rotating/tilting:	yes
Tilting angle:	Note: Adjustable in 7.2° increments via clamping lever and may be limited to +100°/–15° using the stop screw supplied loose

© Rittal 2018

Packaging unit:	1 pc(s).
Weight/packaging unit:	0.8 kg (1.8 lb.)
EAN:	4028177684454
Customs tariff number:	73269098
ETIM 6.0:	EC000882
ETIM 5.0:	EC002620
eCl@ss 8.0/8.1:	27400556
eCl@ss 7.0/7.1:	27189261
eCl@ss 6.0/6.1:	27189261
eCl@ss 5.1/5.1.4:	27189247
Product description (long):	CP Tilting adaptor +100°/-60°, CP 60/120, for support arm connection 120 x 65 mm

Approvals

Declarations:	Manufacturer's declaration

© Rittal 2018