Rittal – The System.

Faster – better – everywhere.

Baying attachment, vertical for TS/TS – TS 8800.670


Date : May 29, 2018

ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

Baying attachment, vertical for TS/TS – TS 8800.670

created: 29.05.2018 build on www.rittal.com/us-en



Product description

Description:	For baying two populated enclosures on the vertical enclosure profile.
Benefits:	Using the fastening bolts, the enclosure is pulled into a defined end position, with a height or side offset of up to ± 2 mm
Material:	Carbon steel
Surface finish:	Zinc-plated
Mounting tip:	Locate in the vertical TS punchings, secure and join the two brackets using the hex screws supplied
Supply includes:	Assembly components

Product features

Suitable for:	Enclosure type: TS 8
Packaging unit:	6 pc(s).
Weight/packaging unit:	2.12 kg (4.7 lb.)
EAN:	4028177338401
Customs tariff number:	83024900
ETIM 6.0:	EC002622

Â© Rittal 2018

ETIM 5.0:	EC002622
eCl@ss 8.0/8.1:	27189263
eCl@ss 7.0/7.1:	27189234
eCl@ss 6.0/6.1:	27189234
eCl@ss 5.1/5.1.4:	27189204
Product description (long):	TS Baying attachment, vertical, for TS/TS

Approvals

Certificates:	EAC