Rittal – The System.

Faster – better – everywhere.

Partial Doors for TS – SV 9672.184

Date : May 25, 2018

ENCLOSURES | POWER DISTRIBUTION | CLIMATE CONTROL | IT INFRASTRUCTURE | SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

Partial Doors for TS – SV 9672.184

created: 25.05.2018 build on www.rittal.com/us-en



Product description

Description:	Suitable for TS enclosures instead of a door or rear panel. The partial doors can be combined as required. A front trim panel is required at the top and bottom. Door may be optionally hinged on the right or left. In doors without a viewing window (height 600 – 1000 mm), installation of the monitor frame SZ 2305.000 is possible. Standard double-bit lock insert may be exchanged for lock inserts, type F, and for comfort handle in systems 600 mm or more high.
Material:	Carbon steel, 2 mm
Surface finish:	Textured paint
Color:	RAL 7035
Protection category IP to IEC 60 529:	IP 54 for a completed enclosure
Supply includes:	Cross member Hinges Lock components Assembly components

Product features

Suitable for:	Width: 800 mm (31 ″)
Dimensions:	Height: 400 mm (16 ″) Width: 800 mm (31 ″)
Packaging unit:	1 pc(s).
Weight/packaging	6.92 kg (15.3 lb.)

© Rittal 2018

unit:	
EAN:	4028177697812
Customs tariff number:	94039010
ETIM 6.0:	EC000747
ETIM 5.0:	EC000747
eCl@ss 8.0/8.1:	27182204
eCl@ss 7.0/7.1:	27182290
eCl@ss 6.0/6.1:	27182290
eCl@ss 5.1/5.1.4:	27189217
Product description (long):	SV Partial door, WH: 800x400 mm, for TS

© Rittal 2018