Rittal – The System.

Faster – better – everywhere.

EMC side panels for TS – TS 8106.750

Date : May 25, 2018

ENCLOSURES | POWER DISTRIBUTION | CLIMATE CONTROL | IT INFRASTRUCTURE | SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

EMC side panels for TS – TS 8106.750

created: 25.05.2018 build on www.rittal.com/us-en



Product description

Benefits:	Automatic potential equalization via assembly components High EMC protection provided by a special EMC seal Easy positioning with the location aid Grounding bolt with contact surface
Material:	Carbon steel, 1.5 mm
Surface finish:	Aluminum zinc coating Powder-coated on the outside
Color:	RAL 7035
Protection category IP to IEC 60 529:	IP 54
Supply includes:	Assembly components
Product modification:	The use of a new EMC hollow-section seal and an additional snap-in grommet enables the TS 8 EMC enclosures to achieve a protection category of IP 54! A snap-in grommet is therefore also provided with the side panels.

Product features

Suitable for:	Enclosure type: TS 8 Height: 2000 mm (79 ″) Depth: 600 mm (24 ″)
Packaging unit:	2 pc(s).
Weight/packaging	29.2 kg (64.4 lb.)

© Rittal 2018

unit:	
EAN:	4028177475755
Customs tariff number:	94039010
ETIM 6.0:	EC002623
ETIM 5.0:	EC002524
eCl@ss 8.0/8.1:	27189264
eCl@ss 7.0/7.1:	27189214
eCl@ss 6.0/6.1:	27189214
eCl@ss 5.1/5.1.4:	27180102
Product description (long):	TS EMC side panel, for TS, for WD: 2000x600 mm, Sheet steel

Approvals

Certificates:	EAC