Rittal – The System.

Faster – better – everywhere.

# Circuit-Breaker Component Adaptors 3-pole – SV 9345.730


Date : May 29, 2018

ENCLOSURES
POWER DISTRIBUTION
CLIMATE CONTROL
IT INFRASTRUCTURE
SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

# Circuit-Breaker Component Adaptors 3-pole – SV 9345.730

created: 29.05.2018 build on www.rittal.com/us-en



## Product description

| | |
|---|---|
| **Material:** | Polyamide (PA 6.6)<br>Fire protection corresponding to UL 94-V0 |
| **Color:** | RAL 7035 |
| **Supply includes:** | Connection straps<br>Sliding Blocks |
| **Note:** | Cable outlet: Switch outlet or as outgoing cable from the switchgear<br>The technical data may vary for UL applications. |

## Product features

| | |
|---|---|
| **Suitable for busbars:** | with cross-section height: 5 mm<br>with cross-section height: 10 mm |
| **Number of poles:** | 3-pole |
| **For bar systems with center-to-center spacing:** | 60 mm |
| **Dimensions:** | Height: 345 mm (14 ″)<br>Width: 140 mm (5.5 ″) |
| **Rated operating voltage:** | 690 V, 3~ |
| **Rated current (max.):** | 400 A |

Â© Rittal 2018

| | |
|---|---|
| **Cable outlet:** | Bottom |
| **To fit manufacturer (model):** | Eaton (NZM3, NZM3 UL/400 A)<br>GE (FG400)<br>Mitsubishi (NF400-SEW/HEW/REW)<br>Schneider Electric (NS(X)400, NSJ400)<br>Schrack (MC3)<br>Siemens (VL400, VL400X UL, VL400 UL, 3VA23, 3VA63)<br>Terasaki (E400, S400, H400, L400) |
| **Packaging unit:** | 1 pc(s). |
| **Weight/packaging unit:** | 2.95 kg (6.5 lb.) |
| **EAN:** | 4028177680036 |
| **Customs tariff number:** | 85369095 |
| **ETIM 6.0:** | EC001531 |
| **ETIM 5.0:** | EC001531 |
| **eCl@ss 8.0/8.1:** | 27370304 |
| **eCl@ss 7.0/7.1:** | 27400613 |
| **eCl@ss 6.0/6.1:** | 27400613 |
| **eCl@ss 5.1/5.1.4:** | 27370302 |
| **Product description (long):** | SV Circuit-breaker component adaptor, 400 A, 690 V, 3-pole, cable outlet bottom, with connection straps |

## Approvals

| | |
|---|---|
| **Approvals:** | ABS<br>DNV-GL<br>UL + C-UL |
| **Certificates:** | EAC |
| **Declarations:** | Declaration of conformity |