Rittal – The System.

Faster – better – everywhere.

Baying Bracket E-Cu – SV 9661.350


Date : May 24, 2018

ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

Baying Bracket E-Cu – SV 9661.350

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Description:	To join flat busbars from enclosure to enclosure in combination with PE/PEN combination angle.
Material:	E-Cu

Product features

Dimensions:	Length: 95 mm (3.7 ″)
Suitable for busbars:	Busbar type: Busbar E-Cu with integral punchings with cross-section height: 10 mm (0.39 ″) with cross-section width: 30 mm (1.2 ″)
Packaging unit:	4 pc(s).
Weight/packaging unit:	0.98 kg (2.2 lb.)
EAN:	4028177546691
Customs tariff number:	74199990
ETIM 6.0:	EC002270
ETIM 5.0:	EC002270
eCl@ss 8.0/8.1:	27409221

eCl@ss 7.0/7.1:	27400605
eCl@ss 6.0/6.1:	27400605
eCl@ss 5.1/5.1.4:	27189215
Product description (long):	SV Baying bracket E-Cu, L: 95 mm, for E-Cu 30x10 mm

Approvals

Certificates:	EAC
Declarations:	Declaration of conformity