Rittal – The System.

Faster – better – everywhere.

# Support section CP 120 open – CP 6212.150


Date : May 24, 2018

ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

# Support section CP 120 open – CP 6212.150

created: 24.05.2018 build on www.rittal.com/us-en



## Product description

| | |
|---|---|
| **Description:** | Attached to the connection components with 4 self-tapping screws in the screw channel. May be cut to any required length, no thread-tapping required. Open cable duct for easy servicing access and for pre-assembled cables with connectors; lockable via cover profile. X-shaped profiling for greater load capacity, large cable routing channels. Upper channel suitable for cables with large connectors (e.g. DVI or VGA) and available/usable throughout the entire system. |
| **Material:** | Support section: Extruded aluminum section<br>Cover: Plastic |
| **Color:** | Support section: RAL 7035<br>Cover: RAL 7024 |
| **Supply includes:** | Support section<br>Clip-in lid |

## Product features

| | |
|---|---|
| **Dimensions:** | Height: 120 mm (4.7 ″)<br>Width: 75 mm (3 ″) |
| **Length:** | 500 mm (20 ″) |
| **Packaging unit:** | 1 pc(s). |
| **Weight/packaging unit:** | 4.6 kg (10.1 lb.) |
| **EAN:** | 4028177683969 |

Â© Rittal 2018

| | |
|---|---|
| **Customs tariff number:** | 76042100 |
| **ETIM 6.0:** | EC000882 |
| **ETIM 5.0:** | EC000882 |
| **eCl@ss 8.0/8.1:** | 27400556 |
| **eCl@ss 7.0/7.1:** | 27189261 |
| **eCl@ss 6.0/6.1:** | 27189261 |
| **eCl@ss 5.1/5.1.4:** | 27189248 |
| **Product description (long):** | CP Support section CP 120, open, L: 500 mm |

## Approvals

| | |
|---|---|
| **Declarations:** | Manufacturer's declaration |