Rittal – The System.

Faster – better – everywhere.

Pedestals – TP 6703.500

Date : May 29, 2018

ENCLOSURES | POWER DISTRIBUTION | CLIMATE CONTROL | IT INFRASTRUCTURE | SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

Pedestals – TP 6703.500

created: 29.05.2018 build on www.rittal.com/us-en



Product description

Material:	Housing: Carbon steel, 1.5 mm Door and console lid: Carbon steel, 2.0 mm, all-round foamed-in PU seal Mounting plate: Carbon steel, 3.0 mm
Surface finish:	dipcoat-primed, powder-coated on the outside, textured paint Mounting plate: Zinc-plated
Color:	RAL 7035
Protection category IP to IEC 60 529:	IP 55 provided suitable base plates are selected
Protection category NEMA:	NEMA 12 with selection of the appropriate base plate or trim panel
IK code:	IK08
Supply includes:	Housing open at top Double door with locking rod, front Mounting plate Open base for individual cable entry
Base material:	Carbon steel

Product features

Dimensions:	Height: 675 mm (27 ″) Width: 1600 mm (63 ″) Depth: 400 mm (16 ″)
Mounting plate:	Height: 625 mm

© Rittal 2018

	Width: 1499 mm
Number of doors:	2
Packaging unit:	1 pc(s).
Weight/packaging unit:	72 kg (158.7 lb.)
EAN:	4028177554108
Customs tariff number:	94032080
ETIM 6.0:	EC000784
ETIM 5.0:	EC000784
eCl@ss 8.0/8.1:	27180504
eCl@ss 7.0/7.1:	27180504
eCl@ss 6.0/6.1:	27180504
eCl@ss 5.1/5.1.4:	27180504
Product description (long):	TP TopConsole system, pedestal, WHD: 1600x675x400 mm, Sheet steel

Approvals

Approvals:	RRR UL + C-UL
Certificates:	IK-Code
Declarations:	Declaration of conformity

© Rittal 2018