Rittal – The System.

Faster – better – everywhere.

Cross member for TS, SE, CM, TP, PC, IW, Blue e+ chiller – TS 8601.450

Date : May 29, 2018

ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

Cross member for TS, SE, CM, TP, PC, IW, Blue e+ chiller – TS 8601.450

created: 29.05.2018 build on www.rittal.com/us-en



Product description

Description:	To increase stability, the cross members project 138 mm beyond the enclosure base frame at the front and rear. The rear part can be extended and re-screwed for deeper enclosures.
Benefits:	To increase stability Adjustable to the housing depth
Material:	Carbon steel
Surface finish:	Spray-finished
Color:	RAL 7015
Supply includes:	1 cross beam, left 1 cross beam, right
Note:	Ensure sufficient stability to prevent the enclosure from tipping over!

Product features

Suitable for:	Enclosure type: TS 8 Enclosure type: SE Enclosure type: CM Enclosure type: TP Enclosure type: PC Enclosure type: IW Depth: 400 mm (16 ″) Depth: 500 mm (20 ″)

Dimensions:	Height: 70 mm (2.8 ″)
Installation options:	For screw-fastening to base and enclosure with side, front and rear mounting holes The castors and leveling feet may be secured to the M12 welded nuts For Blue e+ chillers, the cross-beam can be used as a base/plinth component
Packaging unit:	2 pc(s).
Weight/packaging unit:	7.9 kg (17.4 lb.)
EAN:	4028177382633
Customs tariff number:	94039010
ETIM 6.0:	EC000721
ETIM 5.0:	EC000721
eCl@ss 8.0/8.1:	27182003
eCl@ss 7.0/7.1:	27182003
eCl@ss 6.0/6.1:	27182003
eCl@ss 5.1/5.1.4:	27182092
Product description (long):	TS Cross member, for TS, SE, CM, TP, PC, IW, for D: 400/500 mm

Approvals

Certificates:	EAC