Rittal – The System.

Faster – better – everywhere.

Rail for EMC shielding bracket and strain relief – SZ 2388.125




Date : May 25, 2018

ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

Rail for EMC shielding bracket and strain relief – SZ 2388.125

created: 25.05.2018 build on www.rittal.com/us-en

Product description

Description:	Combined rails for strain relief and EMC contacting of inserted cables.
Benefits:	Additional contacting on the left or right of the rail via existing holes (9 mm diameter) Prepared for tool-free assembly of EMC shielding bracket
Material:	Extruded aluminum section
Surface finish:	Chrome-free passivated
Supply includes:	1 rail 2 retaining brackets Assembly components

Product features

Suitable for:	Width: 1200 mm (47 ″)
Dimensions:	Length: 1153 mm
Installation options:	On the horizontal/vertical enclosure section on a mounting plate, may also be fitted without a retaining bracket
Packaging unit:	1 pc(s).
Weight/packaging unit:	1.02 kg (2.2 lb.)

© Rittal 2018

EAN:	4028177698949
Customs tariff number:	73269098
ETIM 6.0:	EC002625
ETIM 5.0:	EC002623
eCl@ss 8.0/8.1:	27189234
eCl@ss 7.0/7.1:	27189214
eCl@ss 6.0/6.1:	27189214
eCl@ss 5.1/5.1.4:	27189214
Product description (long):	SZ Rail, for EMC rail and stain relief, for W: 1200 mm

Approvals

Certificates:	EAC

© Rittal 2018