Rittal – The System.

Faster – better – everywhere.

TS System Chassis 17 x 73 mm – TS 8612.020

Date : May 29, 2018

ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

TS System Chassis 17 x 73 mm – TS 8612.020

created: 29.05.2018 build on www.rittal.com/us-en



Product description

Description:	Variable, with 5 rows of holes for universal skeleton structures or partial assembly. Simply position in the TS holes and secure.
Material:	Carbon steel
Surface finish:	Zinc-plated
Mounting tip:	The rail for interior installation is required when installing in CM, TP
Supply includes:	Assembly screws

Product features

Suitable for:	Width/depth: 1200 mm
Dimensions:	Length: 1190 mm (47 ″)
Installation options:	On the vertical TS enclosure profile: on the outer mounting level, all-round, height-offset For SE, may additionally be mounted on the top horizontal section in the depth In CM and TP via rails for interior installation: in width, for inner mounting level Simply locate installation kit into component shelves and secure. One pack is sufficient for 2 component shelves. 100 kg surface load, static
Packaging unit:	4 pc(s).
Weight/packaging unit:	5.4 kg (11.9 lb.)
EAN:	4028177212060

© Rittal 2018

Customs tariff number:	73269098
ETIM 6.0:	EC002625
ETIM 5.0:	EC002625
eCl@ss 8.0/8.1:	27189234
eCl@ss 7.0/7.1:	23159101
eCl@ss 6.0/6.1:	23159101
eCl@ss 5.1/5.1.4:	27189250
Product description (long):	TS TS punched section with mounting flange, 17 x 73 mm, for inner mounting level: for W/D: 1200 mm, L: 1190 mm

Approvals

Certificates:	EAC