Product data sheet

Specifications



Thermal overload relays, TeSys Deca, remote electrical tripping, 110V DC/AC

LA7D03F

Product availability: Stock - Normally stocked in distribution facility

Main

Range	TeSys
Product or Component Type	Electrical remote tripping
Device short name	LA7D
Accessory / separate part category	Electrical accessory
Product Compatibility	LRD43.. LR3D15.. LR2D LRD33.. LR3D43.. LR3D35.. LRD15.. LR3D33..
[Uc] control circuit voltage	110 V AC 50/60 Hz 110 V DC

Complementary

Maximum inrush power in VA	100 VA
Inrush power in W	0…100 W
Product Weight	0.20 lb(US) (0.09 kg)

Ordering and shipping details

Category	US10I1222341
Discount Schedule	0I12
GTIN	3389110055122
Returnability	Yes
Country of origin	CZ

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.850 in (4.700 cm)
Package 1 Width	1.890 in (4.800 cm)
Package 1 Length	2.047 in (5.200 cm)
Package weight(Lbs)	3.739 oz (106.000 g)
Unit Type of Package 2	S01
Number of Units in Package 2	32

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Height	5.906 in (15.000 cm)
Package 2 Width	5.906 in (15.000 cm)
Package 2 Length	15.748 in (40.000 cm)
Package 2 Weight	7.912 lb(US) (3.589 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Materials and Substances

Packaging made with recycled cardboard	**Yes**
Packaging without single use plastic	**Yes**
EU RoHS Directive	**Compliant**
REACh Regulation	**Free of Substances of Very High Concern above the threshold**

Use Longer

Lifetime extension

Repair	**No**

Use Again

Repack and remanufacture

Take-back	**No**
WEEE Label	**The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.**