Product data sheet

Specifications



CANopen preassembled cable, for CANopen bus, 0.3m, 2 x RJ45

VW3CANCARR03

Product availability: Stock - Normally stocked in distribution facility

Main

Range of Product	CANopen
Range compatibility	CANopen Altivar Process ATV900 Altivar 71 Modicon LMC058 Altivar 31C Modicon M238 Altivar 32 Altivar Machine ATV320 Lexium SD3 Altivar Process ATV600 Altivar 31 Lexium 28 Modicon M258 Altivar Machine ATV340 except Sercos drives Magelis XBT GC, GT/GK with control Altivar 312
Bus type	CANopen
Accessory / separate part category	Connection accessories
Accessory / Separate Part Type	Connecting cable
Product or Component Type	CANopen cable
Accessory / separate part destination	CANopen bus

Complementary

Cable length	1.0 ft (0.3 m)
Electrical Connection	2 connectors
Connector Type	2 RJ45
Product Weight	0.11 lb(US) (0.05 kg)

Ordering and shipping details

Category	US1CP4B22154
Discount Schedule	CP4B
GTIN	3389110667066
Returnability	Yes
Country of origin	CN

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Height	0.787 in (2.000 cm)
Package 1 Width	4.724 in (12.000 cm)
Package 1 Length	7.874 in (20.000 cm)
Package weight(Lbs)	0.917 oz (26.000 g)
Unit Type of Package 2	S03
Number of Units in Package 2	60
Package 2 Height	11.811 in (30.000 cm)
Package 2 Width	11.811 in (30.000 cm)
Package 2 Length	15.748 in (40.000 cm)
Package 2 Weight	4.870 lb(US) (2.209 kg)
Unit Type of Package 3	P06
Number of Units in Package 3	480
Package 3 Height	29.528 in (75.000 cm)
Package 3 Width	23.622 in (60.000 cm)
Package 3 Length	31.496 in (80.000 cm)
Package 3 Weight	58.828 lb(US) (26.684 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACh Regulation	Free of Substances of Very High Concern above the threshold
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Longer

Lifetime extension

Repair	No

Use Again

Repack and remanufacture

Take-back	No