
Product data sheet

Specifications



Service entrance kit, I-Line, P Frame, HCRU, backfed MCB, US only

ILBFMHCRPULC

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range	I-Line
Product or Component Type	UL service entrance kit

Complementary

Product Destination	Panelboard
Device Mounting	Surface

Environment

Certifications	UL

Ordering and shipping details

Category	US1PE1A00016
Discount Schedule	PE1A
GTIN	3606486996409
Returnability	No
Country of origin	US

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	31.0 in (78.7 cm)
Package 1 Width	8.0 in (20.3 cm)
Package 1 Length	27.5 in (69.9 cm)
Package weight(Lbs)	6.4 lb(US) (2.9 kg)

Contractual warranty

Warranty (in months)	18

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Materials and Substances

Packaging made with recycled cardboard	**Yes**
Packaging without single use plastic	**No**
California proposition 65	**WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov**

Use Longer

Lifetime extension

Repair	**No**

Use Again

Repack and remanufacture

Take-back	**No**

Image of product / Alternate images

Alternative

