Product data sheet

Specifications



remote cable, Altivar, for graphic display terminal, 1 meter

VW3A1104R10

Product availability: Stock - Normally stocked in distribution facility

Main

Range of Product	Altivar
Accessory / separate part category	Connection accessories
Accessory / Separate Part Type	Remote cable
Product or Component Type	Connecting cable
Product Compatibility	VW3M1701 VW3A1101
Accessory / separate part destination	Remote graphic display terminal
Range Compatibility	Altivar 61 Altistart 22 Altivar 12 Altivar 212 Altivar 71 Altivar Machine ATV340 Altivar 32 Altivar 71Q Altivar 312 Easy Altivar 610 Altivar 61Q Altivar Process ATV600 Altivar Machine ATV320 Easy Altivar 310 Altivar 312 Solar Lexium 32 Altivar Process ATV900
Cable length	3.3 ft (1 m)

Complementary

Electrical Connection	2 male connectors
Connector Type	RJ45
Product Weight	0.11 lb(US) (0.05 kg)

Ordering and shipping details

Category	US1CP4C22135
Discount Schedule	CP4C
GTIN	3389118070257
Returnability	Yes
Country of origin	CN

Packing Units

Unit Type of Package 1	PCE

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Nbr. of units in pkg.	1
Package 1 Height	0.669 in (1.700 cm)
Package 1 Width	4.921 in (12.500 cm)
Package 1 Length	6.496 in (16.500 cm)
Package weight(Lbs)	1.940 oz (55.000 g)
Unit Type of Package 2	S03
Number of Units in Package 2	50
Package 2 Height	11.811 in (30.000 cm)
Package 2 Width	11.811 in (30.000 cm)
Package 2 Length	15.748 in (40.000 cm)
Package 2 Weight	7.505 lb(US) (3.404 kg)
Unit Type of Package 3	P06
Number of Units in Package 3	400
Package 3 Height	29.528 in (75.000 cm)
Package 3 Width	23.622 in (60.000 cm)
Package 3 Length	31.496 in (80.000 cm)
Package 3 Weight	77.673 lb(US) (35.232 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACh Regulation	Reference contains Substances of Very High Concern above the threshold
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Longer

Lifetime extension

Repair	No

Use Again

Repack and remanufacture

Take-back	No

Image of product / Alternate images

Alternative

